



OFFSHORE PRODUCT RANGE

DNV 2.7-1 CERTIFIED OFFSHORE CONTAINERS



DNV 2.7-1 Reefers

We supply DNV 2.7-1 certified Offshore Refrigerated (Reefer) Containers. We also supply ISO refrigerated containers.



10FT DNV REEFER

External Dimensions: 10' x 8' x 8' 6" (high)
2.99m x 2.44m x 2.59m (high)
Tare Weight: 6,610 lbs, 3,000 kgs ± 2%
Payload: 15,440lbs, 7000kgs



10FT DNV SPLIT REEFER

External Dimensions: 10' x 8' x 8' 6" (high)
2.99m x 2.44m x 2.59m (high)
Tare Weight: 6,610 lbs, 3,000 kgs ± 2%
Payload: 15,440 lbs, 7,000 kgs ± 2%



20FT DNV REEFER

External Dimensions: 20' x 8' x 8' 6" (high)
6.06m x 2.44m x 2.59m (high)
Tare Weight: 11,180 lbs, 5,070 kgs
Payload: 22,000lbs, 10,000kgs



20FT DNV DUAL VOLTAGE TWIN ROOM REEFER

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.44m x 2.6m (high)
Tare Weight: 11,180 lbs, 5,070 kgs
Payload: 32,910lbs, 14,930kgs



CLIP-ON GENSET

Ideal short-term power solution for Reefers, 1 hour to 3 days. Direct injection 2.2 litre diesel engine. 15KW, 18.75 KVA 460 VAC, 3 phase 60 Hz. Fuel tank capacity 130 US gal/492 litres.



20FT ISO REEFER

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.6m (high)
Tare Weight: 6,550 lbs, 2,970 kgs
Payload: 27,510 kgs, 60,650 lbs



40FT ISO REEFER

External Dimensions: 40' x 8' x 9' 6" (high)
12m x 2.43m x 2.9m (high)
Tare Weight: 10,410 lbs, 4,720 kgs
Payload: 29,280 kgs, 64,550 lbs



20ft DUAL TEMPERATURE ISO REEFER

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.6m (high),
Tare Weight: 3,220 kgs, 7,100 lbs
Payload: 20,780 kgs, 45,810 lbs

Standard DNV 2.7-1 Containers

DNV 2.7-1 certified offshore containers (CCUs) for offshore projects, with no minimum rental period.



DNV OFFSHORE TOOL BOX

External Dimensions: 4' x 7' 2" x 3' 8" (high)
1.23m x 2.20m x 1.14m (high)
Tare Weight: 1,870 lbs, 850 kgs
Payload: 11,020lbs, 5,000kgs



DNV OFFSHORE BOTTLE RACK

External Dimensions: 4' 9" x 4' 1" x 7' 4" (high)
1.45m x 1.24m x 2.25m (high)
Tare Weight: 1,810 lbs, 820 kgs
Payload: 5,510lbs, 2,500kgs



6 TONNE DNV WASTE SKIP

External Dimensions: 6' 2" x 5' 6" x 4' 5" (high)
1.9m x 1.73m x 1.4m (high)
Tare Weight: 2,425 lbs, 1,100kgs
Payload: 10,802lbs, 4,900kgs



3m3 DNV WASTE SKIP (FEL Type)

External Dimensions: 7' 2.6" x 5' 2" x 5' 5" (high)
2.2m x 1.57m x 1.65m (high)
Tare Weight: 2,645 lbs, 1,200 kgs ± 2%
Payload: 5,510lbs, 2,500kgs



DNV OFFSHORE IBC CARRIER

External dimensions: 5.9' x 4.6' x 4' 8" (high)
1.82m x 1.41m x 1.47m (high)
Tare Weight 2,425 lbs, 1,100 kgs
Payload: 4,630 lbs, 2,100 kgs



5FT DNV MINI (Short)

External Dimensions: 5' 6" x 6' 5" x 8' 8" (high)
1.68m x 1.95m x 2.64m (high)
Tare Weight: 3,420 lbs, 1,550 kgs
Payload: 8,820 lbs, 4,000 kgs



5FT DNV MINI (Regular)

External Dimensions: 5' 6" x 6' 5" x 9' 1" (high)
1.69m x 1.96m x 2.77m (high)
Tare Weight: 3,750 lbs, 1,700 kgs
Payload: 8,820 lbs, 4,000 kgs



5FT DNV MINI (Tall)

External Dimensions: 5' 2" x 6' 3" x 9' 6" (high)
1.58m x 1.91m x 2.89m (high)
Tare Weight: 4,365 lbs, 1,980 kgs
Payload: 9,920 lbs, 4,500 kgs

Standard DNV 2.7-1 Containers

DNV 2.7-1 certified offshore containers (CCUs) for offshore projects, with no minimum rental period.



7FT DNV FRAME

External Dimensions: 6' 7" x 3' 3" x 4' 11" (high)
2m x 1m x 1.5m (high)
Tare Weight: 1,246 lbs, 565 kgs
Payload: 5,368 lbs, 2,435 kgs



7m3 DNV BOAT SHAPED SKIP

External Dimensions: 12'11" x 7'1" x 5'1" (high)
3.95m x 2.17m x 1.55m (high)
Tare Weight: 3,530 lbs, 1,600 kgs
Payload: 16,540 lbs, 7,500 kgs



8m3 DNV BOAT SHAPED SKIP

External dimensions: 16'4" x 6'10" x 4'9" (high)
4.98m x 2.09m x 1.47m (high)
Tare Weight: 3,810 lbs, 1,730 kgs
Payload: 13,120 lbs, 5,950 kgs



10FT DNV CLOSED TOP (CORRUGATED PANEL)

External Dimensions: 10' x 8' x 8' 6" (high)
3m x 2.43m x 2.59m (high)
Tare Weight: 5,290 lbs, 2,400 kgs
Payload: 17,640 lbs, 8,000 kgs



10FT DNV FRAME

External Dimensions: 9' 9" x 7' 11" x 8' 6" (high)
3m x 2.44m x 2.6m (high)
Tare Weight: 3,200, lbs, 1,450 kgs
Payload: 11,020 lbs, 5,000 kgs



10FT DNV BUNDED FLOOR CCU

External dimensions: 10' x 8' x 8' 6" (high)
2.99m x 2.43m x 2.59m (high)
Tare Weight: 5,290 lbs, 2,400 kgs
Payload: 17,640 lbs, 8,000 kgs



10FT DNV WORKSHOP

External Dimensions: 10' x 8' x 8' 6" (high)
3m x 2.43m x 2.59m (high)
Tare Weight: 4,960 lbs, 2,250 kgs
Payload: 17,085 lbs, 7,750 kgs



10FT DNV OPEN TOP

External Dimensions: 10' x 8' x 8' 6" (high)
3m x 2.43m x 2.59m (high)
Tare Weight: 4,630 lbs, 2,100 kgs
Payload: 17,330 lbs, 7,860 kgs

Standard DNV 2.7-1 Containers

DNV 2.7-1 certified offshore containers (CCUs) for offshore projects, with no minimum rental period.



20FT DNV CLOSED TOP (FLAT PANEL)
9,700kg

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight: 8,025 lbs, 3,640 kgs
Payload: 21,385 lbs, 9,700 kgs



20FT DNV CLOSED TOP (FLAT PANEL)
15,000kg

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight: 7,980 lbs, 3,620 kgs
Payload: 33,070 lbs, 15,000 kgs



20FT DNV CLOSED TOP (CORRUGATED PANEL)

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight: 8,490 lbs, 3,850 kgs
Payload: 35,604 lbs, 16,150 kgs



20FT DNV DOUBLE DOOR CCU

External dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight: 9,920 lbs, 4,500 kgs
Payload: 26,455 lbs, 12,000 kgs



20FT DNV OPEN TOP (FLAT PANEL) 10T

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.6m (high)
Tare Weight: 6,900 lbs, 3,130 kgs
Payload: 22,050 lbs, 10,000 kgs



20FT DNV OPEN TOP (CORRUGATED PANEL) 12T and 16T

External dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight 7,935 lbs, 3,600 kgs
Payload: 26,455 lbs, 12,000 kgs



20FT DNV BUNDLED FLOOR CCU

External Dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.59m (high)
Tare Weight: 8,490 lbs, 3,850 kgs
Payload: 35,604 lbs, 16,150 kgs



20FT DNV CONTAINER FRAME SKID

External Dimensions: 20' x 8" x 9' 6" (high)
6.06m x 2.43m x 2.9m (high)
Tare Weight: 11,243 lbs, 5,100 kgs
Payload: 43,872 lbs, 19,900 kgs

DNV 2.7-1 Half Heights and Workshops

DNV 2.7-1 certified half height containers and bespoke DNV workshops manufactured to exact specification.



10FT DNV HALF HEIGHT

External dimensions: 10' x 8' x 4' 2" (high)
3m x 2.43m x 1.28m (high)
Tare Weight: 3,750 lbs, 1,700 kgs
Payload: 22,050lbs, 10,000kgs



16FT DNV HALF HEIGHT

External dimensions: 15' 10" x 8' x 4' 4" (high)
4.88m x 2.43m x 1.22m (high)
Tare Weight: 5,240 lbs, 2,900 kgs
Payload: 10,000 kgs, 22,050 lbs



20FT DNV HALF HEIGHT (10T & 13T)

External dimensions: 20' x 8' x 4' 2" (high)
6m x 2.43m x 1.28m (high)
Tare Weight: 5,240 lbs, 2,378 kgs
Payload: 22,050 lbs, 10,000 kgs



20FT DNV HEAVY DUTY HALF HEIGHT (16T)

External dimensions: 20' x 8' x 4' 2" (high)
6m x 2.43m x 1.28m (high)
Tare Weight: 7,450 lbs, 3,380 kgs
Payload: 35,260lbs, 16,000kgs



24FT DNV HALF HEIGHT

External dimensions: 24' x 8' x 4' 2" (high)
7.31m x 2.43m x 1.27m (high)
Tare Weight: 5,550 lbs, 2,520 kgs
Payload: 18,700lbs, 8,480kgs



DNV RIGGING LOFT (10 & 20FT AVAILABLE)

External dimensions: 10' x 8' x 8' 6" (high)
3m x 2.43m x 2.59m (high)
Tare Weight: 4,960 lbs, 2,250 kgs
Payload: 17,085 lbs, 7,750 kgs



MODIFIED DNV WORKSHOPS (BESPOKE)

Specialist units including workshop and mud labs, fitted with tools, workbenches and technology required for the project.



3M³ DNV WASTE SKIP (FEL TYPE)

External dimensions: 7' 2.6" x 5' 2" x 5' 5" (high)
2.2m x 1.57m x 1.65m (high)
Tare Weight: 2,645 lbs, 1,200 kgs
Payload: 6,614 lbs, 3,000 kgs

DNV 2.7-1 Offshore Tanks

Choose from our wide variety of DNV 2.7-1 tanks for offshore projects.
We also supply ISO tanks for onshore use.



2500L DNV TANK

External dimensions: 5' 10" x 5' 10" x 7.9" (high)
1.795m x 1.795m x 2.364m (high)
Payload: 11,243 lbs, 5,100 kgs
Capacity: 2,500 L, 550 Gallons, 660 US Gallons



4000L DNV CHEMICAL TOTE TANK

External dimensions: 6' 6" x 6' 6" x 8' 5" (high)
2m x 2m x 2.57m (high)
Payload: 14,219 lbs, 6,450 kgs
Capacity: 4,000 L, 880 Gallons, 1,056 US Gallons



4,800L DNV TANK

External dimensions: 7' 3" x 7' 3" x 8' 5" (high)
2.2m x 2.2m x 2.571m (high)
Payload: 17,251 lbs, 7,825 kgs
Capacity: 4,800 L, 1,056 Gallons, 1,268 US Gallons



5000L DNV HELIFUEL TANK

External dimensions: 7' 7" x 7' 7" x 8' 5" (high)
2.3m x 2.3m x 2.56m (high)
Payload: 16,755 lbs, 7,600 kgs
Capacity: 5,000 L, 1,100 Gallons, 1,320 US Gallons



10FT DNV 7500L CHEMICAL TANK

External dimensions: 9' 10", 8' 0", 8' 0" (high)
2.9m x 2.43m x 2.43m (high)
Payload: 10,750 kgs, 23,699 lbs
Capacity: 7,567 L, 1,665 Gallons, 2,000 US Gallons



20FT DNV 20,000L CHEMICAL TANK (20/20)

External dimensions: 20' x 8' 0" x 8' 9" (high)
6.05m x 2.43m x 2.66m (high)
Payload: 33,620 lbs, 15,250 kgs
Capacity: 20,000 L, 4,400 Gallons, 5,283 US Gallons



T11 ISO TANK

External dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.6m (high)
Payload: 70,922 lbs, 32,170 kgs
Capacity: 26,000 L, 6,870 US Gallons



24,000L ISO FRAME TANK

External dimensions: 20' x 8' x 8' 6" (high)
6m x 2.43m x 2.6m (high)
Payload: 62,851 lbs, 28,510 kgs
Capacity: 24,000L, 6,341 Gallons

DNV 2.7-1 Offshore Baskets

Cargostore supplies a large range of DNV 2.7-1 certified baskets for offshore use. No minimum rental term required.



4FT DNV BASKET (SHORT)

External Dimensions: 4' x 4' x 3' (high)
1.22m x 1.22m x 0.915m (high)
Tare Weight: 1,146 lbs, 520 kgs
Payload: 4,409 lbs, 2,000 kgs



4FT DNV BASKET

External dimensions: 4' 1" x 3' 9" x 4' 9" (high)
1.26m x 1.2m x 1.5m (high)
Tare Weight: 1,488 lbs, 675 kgs
Payload: 5,125 lbs, 2,325 kgs



5FT DNV PERSONNEL WORK TRANSFER BASKET

External dimensions: 4' 11" x 3' 9" x 7' 10" (high)
1.5m x 1.15m x 2.4m (high)
Tare Weight: 750 kgs, 1653 lbs
Payload: 750 kgs, 1653 lbs



8FT DNV BASKET

External dimensions: 8' 2" x 6' 8" x 5' 1" (high)
2.5m x 2.03m x 1.53m (high)
Tare Weight: 2,470 lbs, 1,120 kgs
Payload: 11,860 lbs, 5,380 kgs



14FT DNV DRUM BASKET

External dimensions: 13' 9" x 5' x 5' 4" (high)
4.2m x 1.52m x 1.62m (high)
Tare Weight: 1,750 kgs, 3,858 lbs
Payload: 10,000 kgs, 22,046 lbs



21FT DNV BASKET

External dimensions: 20' 8" x 3' 11" x 3' 7" (high)
6.3m x 1.2m x 1.1m (high)
Tare Weight: 2,535 lbs, 1,150 kgs
Payload: 17,637 lbs, 8,000 kgs



34FT DNV BASKET

External dimensions: 3' 9" x 3' 11" x 3' 7" (high)
10.3m x 1.2m x 1.1m (high)
Tare Weight: 5,730 lbs, 2,600 kgs
Payload: 22,050 lbs, 10,000 kgs



47FT DNV BASKET RISER

External dimensions: 47' 6" x 4' 9" x 3' 7" (high)
14.5m x 1.5m x 1.12m (high)
Tare Weight: 11,023 lbs, 5,000 kgs
Payload: 35,277 lbs, 16,000 kgs



LONDON (Head Office)

The Old Exchange
12 Compton Road
Wimbledon
London
SW19 7QD
U.K

T: +44 208 879 1900



ABU DHABI

Cargostore Containers LLC
Office 13, 12th Floor, Capital Business Center
Prestige Tower 17
Mohamed Bin Zayed City
Abu Dhabi, UAE

T: +971 2 559 5610

Cargostore Worldwide has offices and depots globally with staff that collectively speak over 12 languages; enabling us to provide the very best in customer service for our clients worldwide. With constant availability, faster delivery and local representatives, the Cargostore motto of 'Global Reach, Local Touch' is our way of making buying, renting and modifying DNV 2.7-1 offshore containers a quick and simple process.

THE CARGOSTORE DIFFERENCE



THE RIGHT EQUIPMENT

Supplying the units you need at short notice.



IN THE RIGHT LOCATION

A Rapid Response bespoke service, deliverable globally, supported with 24/7 contact.



AT THE RIGHT TIME

Our rentals come with full operational support including recertification notifications and maintenance assistance.



offshore@cargostore.com
cargostore.com